4

5

6

7

8

1

1

1

1

CLAIMS

What is claimed is:

A method for re-ordering requests for shared resources, the method comprising:

receiving requests for accessing the shared resources from one or more requestors, wherein a plurality of requests may be received from each requestor;

arbitrating between the plurality of requests in such a way so that the plurality of requests from each requestor may be re-ordered in non-FIFO order; and

selecting a next request to access the shared resources based on the reordering of requests.

- 2. The method of claim 1, further comprising:
- 2 associating a unique identifier tag with each request.
 - 3. The method of claim 2, further comprising:
- using the identifier tag by the requestors to keep track of when the plurality of requests from each requestor are serviced.
 - 4. The method of claim 3, further comprising:
- 2 initiating servicing of the selected request; and
- transmitting the identifier tag and a strobe signal to a requestor that sent the selected request.
 - 5. The method of claim 4, further comprising:

2

1

2

3

- embedding additional information in the identifier tag that relates to data associated with the request.
 - 6. The method of claim 1, wherein the requests comprise memory requests, and wherein the shared resources comprise a shared memory system.
- 7. The method of claim 5, wherein the selected request comprises a memory write request.
- 1 8. The method of claim 7, wherein the additional information in the 2 identifier tag associated with the memory write request includes a location in buffer 3 memory of data to be written.
 - 9. The method of claim 5, wherein the selected request comprises a memory read request.
- 1 10. The method/of claim 9, wherein the additional information in the
 2 identifier tag associated with the memory read request includes a location in buffer
 3 memory in which the data is to be written.
- 1 11. A system for re-ordering requests for shared resources, the system 2 comprising:
 - one or more requestors for sending requests for accessing the shared resources, wherein a plurality of requests may be received from each requestor;
- an arbiter for arbitrating between the plurality of requests in such a way so that the plurality of requests from each requestor may be re-ordered in non-FIFO order.

a **:**:

Water State State

a 1:

١, 171

11

1

2

1

2

1

2

1

2

12.	The system of claim 1	d, wherein the requestors associate a unique
identifier tag with each request.		

- 1 13. The system of claim 12, wherein the requestors use identifier tags to keep track of when the plurality of requests from each requestor are serviced. 2
- 14. The system of daim 13, wherein the arbiter initiates servicing of the 1 selected request; and transmits the identifier tag and a strobe signal to a requestor 2 that sent the selected request. 3
 - 15. The system of claim 14, wherein the identifier tag includes additional information that relates to data associated with the selected request.
 - 16. The system of claim 11, wherein the requests comprise memory requests, and wherein the shared resources comprise a shared memory system.
 - 17. The system of claim 15, wherein the selected request comprises a memory write request.
- 1 18. The system of claim 17, wherein the additional information in the 2 identifier tag associated with the memory write request includes a location in buffer memory of data to be written. 3
- 1 19. The system of claim 15, wherein the selected request comprises a memory read request. 2
- 20. The system of claim 19, wherein the additional information in the 1 identifier tag associated with the memory read request includes a location in buffer 2 memory in which the data is to be written. 3

Trend to the tree of the tree

1

	/
1	21. An apparatus for re-ordering requests for shared resources, the
2	apparatus comprising:
3	means for receiving requests for accessing the shared resources from one or
4	more requestors, wherein a plurality of requests may be received from each
5	requestor;
6	means for arbitrating between the plurality of requests in such a way so that
7	the plurality of requests from each requestor may be re-ordered in non-FIFO order;
8	and
9	means for selecting a next request to access the shared resources based on
10	the re-ordering of requests
1	22. The apparatus of claim 21, further comprising:
2	means for associating a unique identifier tag with each request.

- 1 23. The apparatus of claim 22, further comprising:
- means for using the identifier tag by the requestors to keep track of when the plurality of requests from each requestor are serviced.
 - 24. The apparatus of claim 23, further comprising:
- 2 means for initiating servicing of the selected request; and
- means for transmitting the identifier tag and a strobe signal to a requestor that
 sent the selected request.
 - 25. The apparatus of claim 24, further comprising:



- 2 means for embedding additional information in the identifier tag that relates to data associated with the request.
 - 26. The apparatus of claim 21, wherein the requests comprise memory requests, and wherein the shared resources comprise a shared memory system.
- 1 27. The apparatus of claim 25, wherein the selected request comprises a 2 memory write request.
 - 28. The apparatus of claim 27, wherein the additional information in the identifier tag associated with the memory write request includes a location in buffer memory of data to be written.
 - 29. The apparatus of claim 25, wherein the selected request comprises a memory read request.
 - 30. The apparatus of claim 29, wherein the additional information in the identifier tag associated with the memory read request includes a location in buffer memory in which the data is to be written.